Revision: 13.03.2024

Printing date 14.03.2024

Version number 1.0

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: CONCEPT X-C5 SAE 0W/20
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Only for proper handling. Engine oil
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

MOTOREX AG Bern-Zürich-Strasse 31, Postfach CH-4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

- · Further information obtainable from: msds@motorex.com
- 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

Contains C14-16-18 Alkyl phenol, Tolutriazol-Derivat. May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64742-54-7 EINECS: 265-157-1 Index number: 649-467-00-8 Reg.nr.: 01-2119484627-25	Distillates (petroleum), hydrotreated heavy paraffinic Asp. Tox. 1, H304	≥50-≤70%
EC number: 700-184-9	Pentadecane, 7-methylene mixed with 1-tetradecene, dimers and trimers, hydrogenated Asp. Tox. 1, H304	5-10%

(Contd. on page 2)

MOTOREX
Oil of Switzerland
Revision: 13.03.2024

Printing date 14.03.2024 Version number 1.0

Trade name: CONCEPT X-C5 SAE 0W/20

		(Contd. of page 1)
	Mineral oils (mixture)	≥2.5-≤7.5%
	Asp. Tox. 1, H304	
CAS: 4259-15-8	zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	≥0.25-<2.5%
EINECS: 224-235-5	Eye Dam. 1, H318; Aquatic Chronic 2, H411	
Reg.nr.: 01-2119493635-27	Specific concentration limits:	
	Eye Dam. 1; H318: C ≥50 %	
	Eye Irrit. 2; H319: 50 % ≤ C < 50 %	
CAS: 69-72-7	salicylic acid	0.1-0.25%
EINECS: 200-712-3 Index number: 607-732-00-5	Repr. 2, H361d; Eye Dam. 1, H318; Acute Tox. 4, H302	
CAS: 1190625-94-5	C14-16-18 Alkyl phenol	0.1-0.25%
EC number: 931-468-2	STOT RE 2, H373; Skin Sens. 1B, H317	
Reg.nr.: 01-2119498288-19		
EC number: 939-700-4	Tolutriazol-Derivat	≥0.1-<0.25%
	Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1B, H317	

Additional information:

Note L: The classification as carcinogen does not apply because the mixture (or substance) contains less than 3% dimethyl sulfoxide extract (DMSO), measured according to IP 346. For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

(Contd. on page 3)

MOTOREX Oil of Switzerland
Revision: 13.03.2024

Printing date 14.03.2024 Version number 1.0

Trade name: CONCEPT X-C5 SAE 0W/20

(Contd. of page 2)

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:

· DNELs

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

The recommended storage temperature is (deg.C): ≤50°C

- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

releases(freshwater)

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

4259-15-	8 zinc bis[O,O-bis(2-ethylhexyl)] bis(dit	hiophosphat	re)	
Oral	DNEL/general population/Systemic effect			
Dermal			9.6 mg/kg/24h (worker)	
	DNEL/general population/Systemic effect	_		
Inhalative	DNEL / Workers / Systemic effects / Long-term		6.6 mg/m3 (worker)	
	-		1.67 mg/m3 (consumer)	
· PNECs	1			
4259-15-	8 zinc bis[O,O-bis(2-ethylhexyl)] bis(dit	hiophosphat	e)	
Oral PNE	EC / Predators / Secondary poisoning	8.33 mg/kg food (secondary poisonin (predators))		
PNE	EC / Aquatic organisms / Freshwater	0.004 mg/l (a	aquatic organisms)	
PNE	EC / Aquatic organisms / Marine water	0.0046 mg/l (aquatic organisms)		
	PNEC/Aquatic org/intermittent 0.044 mg/l (aquatic organisms) releases(freshwater)		aquatic organisms)	
	EC/Aquatic organisms/Sewage treatment at/STP	e treatment 3.8 mg/l (aquatic organisms)		
	PNEC / Aquatic organisms / Sediment 0.322 mg/kg (aquatic organisms) (freshwater)		(aquatic organisms)	
	EC / Aquatic organisms / Sediment rine water)	quatic organisms / Sediment 0.0322 mg/kg (aquatic organisms)		
PNE	EC / Terrestrial organism / Soil	0.0619 mg/kg (terrestrial organisms)		
Tolutriaz	ol-Derivat	•		
PNE	C / Aquatic organisms / Freshwater	0.0087 mg/l	(aquatic organisms)	
PNE	EC / Aquatic organisms / Marine water	0.00087 mg/	l (aquatic organisms)	
PN	EC/Aquatic org/intermittent	0.00976 mg/	(I (aquatic organisms)	

(Contd. on page 4)



Printing date 14.03.2024 Version number 1.0 Revision: 13.03.2024

Trade name: CONCEPT X-C5 SAE 0W/20

		(Contd. of page 3)	
PNEC/Aquatic organ plant/STP	isms/Sewage treatment	0.69 mg/l (aquatic organisms)	
PNEC / Aquatic of (freshwater)	rganisms / Sediment	0.127 mg/kg (aquatic organisms)	
PNEC / Aquatic of (marine water)	rganisms / Sediment	0.0127 mg/kg (aquatic organisms)	
PNEC / Terrestrial or	ganism / Soil	0.0202 mg/kg (soil microorganisms)	

- · Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Respiratory protection:

Not necessary if room is well-ventilated.

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye/face protection Goggles recommended during refilling
- · Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: Brown

· Odour: Characteristic Odour threshold: Not determined. • Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

boiling range Undetermined. · Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. >220 °C

· Flash point:

· Decomposition temperature: Not determined. · pH Not determined.

· Viscosity:

· Kinematic viscosity 40.2 mm²/s @ 40 °C

(Contd. on page 5)



Printing date 14.03.2024 Version number 1.0 Revision: 13.03.2024

Not determined.

Trade name: CONCEPT X-C5 SAE 0W/20

(Contd. of page 4)

Consistency

· **Dynamic:** Not determined.

· Solubility

· water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log

value)

Heat Capacity

· Vapour pressure: Not determined.

· Density and/or relative density

• **Density at 20 °C:** 0.846 g/cm³ (ASTM D 4052)

Relative densityVapour densityNot determined.Not determined.

· 9.2 Other information

· Appearance:

· Form: Fluid

Important information on protection of health

and environment, and on safety.

• Explosive properties: Product does not present an explosion hazard.

· Solvent separation test:

· **VOC (EC)** 0.00 %

Change in condition

· Evaporation rate Not determined.

Information with regard to physical hazard

classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit Void flammable gases in contact with water

flammable gases in contact with water

Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals
Void
Void
Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

MOTOREX Oil of Switzerland
Revision: 13.03.2024

Printing date 14.03.2024 Vel

Version number 1.0

Trade name: CONCEPT X-C5 SAE 0W/20

(Contd. of page 5)

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 \	values rele	vant for classification:
64742-54-	7 Distillate	es (petroleum), hydrotreated heavy paraffinic
Oral	LD50	5,000 mg/kg (rat)
	LOAEL	125 mg/kg/24h (rat)
Dermal	LD50	2,000-5,000 mg/kg (rabbit)
	NOAEL	150 mg/kg/24h (mouse)
		30-2,000 mg/kg/24h (rat)
		1,000 mg/kg/24h (rabbit)
	LOAEL	100 mg/kg/24h (mouse)
Inhalative	LC50 / 4h	2.18-5.53 mg/l (rat)
	NOEL	220 mg/m3 (rat)
	NOAEL	980 mg/m3 (rat)
4259-15-8	zinc bis[C	,O-bis(2-ethylhexyl)] bis(dithiophosphate)
Oral	LD50	3,100 mg/kg (rat)
	NOAEL	125 mg/kg/24h (rat)
Dermal	LD50	5,000 mg/kg (rabbit)
69-72-7 sa	alicylic aci	d
Oral	LD50	891 mg/kg (rat)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

· Endocr	ine disrupting properties	
69-72-7	salicylic acid	List II; III

SECTION 12: Ecological information

· 12.1 Toxicity

Aquati	ic toxicity:
64742-	-54-7 Distillates (petroleum), hydrotreated heavy paraffinic
LL50	10,000 mg/l/96h (aquatic invertebrates)
	100 mg/l/96h (fish)
LL50	10,000 mg/l/72h (aquatic invertebrates)
LL50	10,000 mg/l/48h (aquatic invertebrates)
LL50	10,000 mg/l/24h (aquatic invertebrates)
EL50	10,000 mg/l/48h (aquatic invertebrates)
	(Contd. on page 7

(Contd. on page 7)

MOTOREX*
Oil of Switzerland
Revision: 13.03.2024

Printing date 14.03.2024

Version number 1.0

Trade name: CONCEPT X-C5 SAE 0W/20

	(Contd. of page 6)
4259-15	-8 zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)
LC50	46 mg/l/96h (fish)
LL50	4.4 mg/l/96h (fish)
EL50	75 mg/l/48h (aquatic invertebrates)
EL50	240-410 mg/l/72h (algae / cyanobacteria)
NOEC	0.4-0.8 mg/l/21d (aquatic invertebrates)
NOELR	3.2 mg/l/96h (fish)
NOELR	32 mg/l/48h (aquatic invertebrates)
LOEC	0.8 mg/kg/28d (aquatic invertebrates)
Tolutria	zol-Derivat
LC50	1.3 mg/l/96h (fish)
LC0	1 mg/l/96h (fish)
LC100	1.8 mg/l/96h (fish)
EC10	0.435-0.97 mg/l/21d (aquatic invertebrates)
EC10	0.625-0.658 mg/l/72h (algae / cyanobacteria)
EC50	0.762-0.976 mg/l/72h (algae / cyanobacteria)
NOEC	0.35-0.6 mg/l/21d (aquatic invertebrates)

12.2 Persistence and degradability No further relevant information available.

12.3	Bioaccumu	lative	potential
------	-----------	--------	-----------

64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic

Partition coefficient >6 [---] (log Kow) (Bioaccumulation)

4259-15-8 zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)

Partition coefficient | 3.59 [---] (log Kow) (Bioaccumulation)

- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

GB

MOTOREX Oil of Switzerland
Revision: 13.03.2024

Printing date 14.03.2024 Version number 1.0

Trade name: CONCEPT X-C5 SAE 0W/20

(Contd. of page 7)

SECTION 14: Transport informa	tion
14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Not classified as hazardous for transport
14.2 UN proper shipping name ADR/RID/ADN, IMDG, IATA	Not classified as hazardous for transport
14.3 Transport hazard class(es)	
ADR/RID/ADN, ADN, IMDG, IATA Class	Not classified as hazardous for transport
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Not classified as hazardous for transport
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordi IMO instruments	ing to Not applicable.
UN "Model Regulation":	Not classified as hazardous for transport

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- Regulated explosives precursors
- None of the ingredients is listed.
- None of the ingredients is listed.
- · Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

Regulated poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

- · purity requirement
- · Relevant phrases
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.

(Contd. on page 9)

MOTOREX*
Oil of Switzerland
Revision: 13.03.2024

Printing date 14.03.2024

Version number 1.0

Trade name: CONCEPT X-C5 SAE 0W/20

(Contd. of page 8)

H319 Causes serious eye irritation.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: Abteilung Produktsicherheit

Abbreviations and acronyms:

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B Repr. 2: Reproductive toxicity – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Annex: Exposure scenario 1

Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure

No special measures required.

Use only on hard ground.

- Other operational conditions affecting consumer exposure No special measures required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- · Technical protective measures

No special measures required.

Use product only in enclosed systems.

Ensure that suitable extractors are available on processing machines

· Personal protective measures

Do not inhale gases / fumes / aerosols.

Pregnant women should strictly avoid inhalation or skin contact.

- · Measures for consumer protection Ensure adequate labelling.
- · Environmental protection measures
- · Water

No special measures required.

Do not allow to reach sewage system.

- · Soil Prevent contamination of soil.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.

(Contd. on page 10)

MOTOREX*
Oil of Switzerland
Revision: 13.03.2024

Printing date 14.03.2024 Version number 1.0

Trade name: CONCEPT X-C5 SAE 0W/20

(Contd. of page 9)

· Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 2

· Short title of the exposure scenario

Industrial use of lubricants and greases in vehicles or machinery

· Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

· Product category

PC16 Heat transfer fluids

PC17 Hydraulic fluids

PC24 Lubricants, greases, release products

Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

Environmental release category

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article) ERC7 Use of functional fluid at industrial site

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

GB

MOTOREX*
Oil of Switzerland
Revision: 13.03.2024

Printing date 14.03.2024 Version number 1.0

Trade name: CONCEPT X-C5 SAE 0W/20

(Contd. of page 10)

Annex: Exposure scenario 3

· Short title of the exposure scenario

Professional use of lubricants and greases in vehicles or machines

· Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Product category

PC16 Heat transfer fluids

PC17 Hydraulic fluids

PC24 Lubricants, greases, release products

Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC20 Use of functional fluids in small devices

· Environmental release category

ERC9a Widespread use of functional fluid (indoor)

ERC9b Widespread use of functional fluid (outdoor)

· Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 4

- · Short title of the exposure scenario Private use of lubricants and greases in vehicles or machines
- · Sector of Use SU21 Consumer uses: Private households / general public / consumers

(Contd. on page 12)

Revision: 13.03.2024

Printing date 14.03.2024

Version number 1.0

Trade name: CONCEPT X-C5 SAE 0W/20

(Contd. of page 11)

- · Product category PC24 Lubricants, greases, release products
- Environmental release category

ERC9a Widespread use of functional fluid (indoor)

ERC9b Widespread use of functional fluid (outdoor)

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting consumer exposure Not required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- Worker protection
- Organisational protective measures No special measures required.
- Technical protective measures No special measures required.
- Personal protective measures No special measures required.
- Measures for consumer protection No special measures required.
- Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures

Disposal must be made according to official regulations.

Ensure that waste is collected and contained.

- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.