

c-oil-finder-
selection.modelHeadline

BMW (EU)

c-oil-finder-
selection.modelSubheading

7 series, E32 (1987-1994)

c-oil-finder-
selection.modelSubline

730i with catalyst 1987 - 1994

Engine

c-oil-finder-
advice.fillingSection

Capacity 5,75 liter
Filter capacity 0,75 liter

c-oil-finder-
advice.useSection

Flexible (on board maintenance system)

c-oil-finder-
advice.intervalSection

c-oil-finder-
advice.productSection

> TOPAZ SAE 5W/40
> TOPAZ SAE 10W/40
c-oil-finder-product-list.additionalProducts
> TOPAZ SAE 15W/40

Differential, rear

c-oil-finder-
advice.fillingSection

Capacity 1,7 liter

c-oil-finder-
advice.useSection

Normal

c-oil-finder-
advice.intervalSection

c-oil-finder-
advice.productSection

> PRISMA ZX SAE 75W/90
> PRISMA ZX CT SAE 75W/90
c-oil-finder-product-list.additionalProducts
> PENTA SAE 75W/90

Transmission, automatic ZF 4HP22 4/1

c-oil-finder-
advice.fillingSection

Capacity 3 liter
Capacity 7,5 liter (+ torque converter)

c-oil-finder-
advice.useSection

Normal

c-oil-finder-
advice.intervalSection

c-oil-finder-
advice.productSection

[> ATF SUPER](#)

Transmission, automatic with black rating plate ZF 5HP18 (A5S310Z) 5/1

c-oil-finder-
advice.useSection

Normal

c-oil-finder-
advice.intervalSection

c-oil-finder-
advice.productSection

[> ATF DEXRON III](#)
[> ATF TP](#)
c-oil-finder-product-list.additionalProducts
[> ATF J III](#)

Transmission, automatic with green rating plate ZF 5HP18 (A5S310Z) 5/1

c-oil-finder-
advice.useSection

Normal

c-oil-finder-
advice.intervalSection

c-oil-finder-
advice.productSection

[> ATF DEXRON III](#)
[> ATF MULTI](#)

Transmission, manual 5/1

c-oil-finder-
advice.fillingSection

Capacity 1,25 liter

c-oil-finder-
advice.useSection

Normal

c-oil-finder-
advice.intervalSection

c-oil-finder-
advice.productSection

[> ATF SUPER](#)

Hydraulic brake/clutch system

c-oil-finder-
advice.useSection

Normal

c-oil-finder-
advice.intervalSection

Change 12 months

c-oil-finder-
advice.productSection

[> BRAKE FLUID DOT 4](#)

Power steering, separate system (ATF cap)

c-oil-finder- Capacity 2,4 liter

advice.fillingSection

c-oil-finder- Normal

advice.useSection

c-oil-finder-

advice.intervalSection

c-oil-finder- [> ATF SUPER](#)

advice.productSection

Cooling system

c-oil-finder- Capacity 12 liter

advice.fillingSection

c-oil-finder- Normal

advice.useSection

c-oil-finder- Change 24 months

advice.intervalSection

c-oil-finder- [> COOLANT M5.0 CONCENTRATE](#)

advice.productSection [> COOLANT M5.0 READY TO USE](#)

MOTOREX-BUCHER GROUP AG

Bern-Zürich-Strasse 31 • Postfach • 4901 Langenthal, Schweiz

Tel. +41 62 919 75 75 • Fax. +41 62 919 75 95

info@motorex.com

All information given in the oil guide is based on the general experience and knowledge of the MOTOREX-Bucher Group AG in the development and production of lubricants and corresponds to our present state of knowledge. The mode of operation of our products depends on various factors, in particular on the specific application purpose, the application of the products, the operating conditions, the component pre-treatment, possible dirt accumulation from the outside, etc. For this reason, it is not possible to use our products in general. The data represent general, non-binding guidelines. On the other hand, they do not in any way include an assurance of properties or a guarantee for the suitability of the product for the individual case. Before using our products, we therefore recommend that you have an individual consultation with the MOTOREX-Bucher Group AG contact persons about the operating conditions in the application and the performance characteristics of the products. Our products may not be used in aerospace vehicles or parts thereof. This does not apply if the products are removed before installation of components in an aerospace vehicle.

It is incumbent upon the user to test the products in the intended application for their functional safety and to use them with the necessary care. Our products are continuously being developed further. For this reason, we reserve the right to change the product range, the products and their manufacturing processes as well as all information, e. g. in the oil guide, at any time and without prior notice. All previous publications lose their validity with the publication of this publication. Duplication of any kind and form requires the prior written consent of the MOTOREX-Bucher Group AG.

© MOTOREX-Bucher Group AG. All rights reserved.